

EVEN AFTER 40 YEARS, NOTHING STOPS A DR®

2025 CHORE PRODUCTS

DON'T JUST GET THE JOB DONE GET THE JOB DONE DONE RIGHT

For 40 years, DR[®] Power Equipment has manufactured some of the longest-lasting, most powerful outdoor power equipment available. We proudly stand behind everything we build and are committed to serving you and your customers.

DR[®] Power Equipment's professional-grade machines are how the toughest jobs not only get done – but get done right.

Asher the states of the states

1

NEW PRO MAX30 WIDE-AREA MOWER



TABLE OF CONTENTS

FIELD & BRUSH MOWERS
LAWN & GARDEN EDGER14
TRIMMER MOWERS 16 Walk-Behind and Accessories 16 Tow-Behind 16
CHIPPERS & CHIPPER SHREDDERS
LEAF & LAWN VACUUMS AND BLOWERS
LAWN MOWERS
Tow-Behind Finish Mower
LOG SPLITTERS
ROTOTILLERS
STUMP GRINDERS
POWER GRADERS
HAULERS
NEW SNOW BLOWERS

FIELD & BRUSH MONERS

DR[®] Field & Brush Mowers lead the industry in power and performance. Each machine is built with innovative features and real-world tested to reliably conquer even the most overgrown fields quickly and efficiently year after year. With a full range of models available – including walk or tow-behind, commercial, and electric-battery-powered machines – you can be sure there's a DR[®] Field & Brush Mower for every property.



THEN

Introduced in 1989, the original DR[®] Field & Brush Mower was an affordable alternative to a tractor-mounted brush mower. Over the years, it has evolved into a versatile machine with all-season capabilities, and the lineup has expanded into several professional, commercial, and tow-behind models.



NOW

Today's Field & Brush Mower is miles ahead of where we started and miles ahead of the competition. With heavy-gauge steel frames crafted to withstand years of stress and strain, thick-walled plate steel decks, and hardened steel blades, DR[®] Field & Brush Mowers are strong enough to conquer anything you can throw at them.

COMMERCIAL XD SERIES



Intuitive Operation

puts total control right at your fingertips. Squeeze the hand lever for forward movement or push the thumb lever for reverse. The action is pressure-sensitive, so you set the speed.

Commercial Grade Power to Spare

because a commercial machine demands a no-nonsense commercial engine. Whether you go with the XD26 or XD30, you get a proven Kawasaki workhorse covered with a full 3-year commercial warranty.

Hand Guards

protect the operator's hands from brush, briers, and other obstacles.

Integrated Tie-downs

4 welded steel hooks (2 on each side) provide secure anchor points for transportation.

Solid Components

including levers and linkages for wheel drives made of solid metal (no cables). No stretching, snagging, or need to readjust.





	AT59026KMN	AT59030KEN49		
ENGINE	Kawasaki 10.2 HP GXV390 OHV Kawasaki 18.5 HP FS600V			
STARTER	Manual	Electric		
POWER STEERING	Yes			
CUTTING WIDTH	26" 30"			
CUTTING CAPACITY	4' grass, 8' weeds/brush, 2" saplings 6' grass, 8' weeds/brush, 3" saplings			
WEIGHT	313 lbs 379 lbs			
WARRANTY	Machine: 2-Years Residential and Commercial; Engine: 3-Years Residential and Commercial			

Performance Features for Commercial Use

XD-Series machines are purposefully overbuilt for the rigors of continuous use and transport between job sites and are packed with the features you need to get the job done.



Custom Blade Spindle

Made of cast iron with oversized, sealed bearings for maintenance-free performance and durability and a Zerk fitting that allows the spindle to be greased above the deck.



Tool-free Drain Hose Removing oil is fast, neat, and easy. Work tool-free – just uncap and drain.



X-DRIVE Power Steering

Power steering is enabled by two independent hydrostatic wheel drives, DR[®]'s exclusive X-Drive provides a zero-degree turning radius and near effortless maneuverability.



A BEAST

It cut through multiple 3-inch saplings like butter turning them into wood chips. I ran the machine for about 2.5 Hours or one tank of gas. I was able to cut back the brush back about 5 to 15 feet from alongside my driveway. This job would have been a whole lot tougher without the hydrostatic drive.

 Shawn from Biloxi, MS XD30 Owner Since 2023

PROFESSIONAL SERIES

Intuitive Controls at Your Fingertips

with all operating functions on the control panel or handgrips including; available electric start, operator presence, throttle, gear shift, blade engagement, and independent wheel brakes.

Commercial-Grade Electric Clutch

enables you to engage the blade instantly with the pull of a knob. Electrical "communication" means there are no cables or linkages to adjust or wear out. (Not available on PREMIER model.)

Adjustable Handlebars and Power Steering

for a comfortable working height and the ability to quickly turn on a dime. (Power Steering not available on PRO 26 10.5 HP model.)

Pivoting Deck

follows the contours of your land, providing a cleaner cut and reducing the chance of scalping. (Not available on PREMIER model.)

Wide Cut

models available with 26", 30", or 34" wide mowing decks.

10.00

Self-Propelled

gear-driven transmission lets you lock in your ground speed, leaving your hands free to steer the machine across uneven terrain. Choose from 3 forward speeds and 1 reverse to match your pace.

Hardened Steel Blades

that weigh up to 6 pounds and are a full 1/4" thick.

(Optional Extra Heavy-Duty Brush Blade available for sustained mowing in thick brush.)

Turn on a Dime

with hand-operated disc brakes that quickly pivot the machine around the locked wheel, navigating around obstacles or making 180-degree turns at the end of a pass.

	The second secon			
PRO 26	PRO 26	PRO XL30	PRO XL30	PRO MAX34
AT43026BMN	AT45326BEN	AT45230BEN	AT47030BEN	AT47134BEN

		AT ISSEEDEN	AT ISESOBEIT	AT IN OSOBER	AT IN 13 IDEN	
ENGINE	Briggs & Stratton, 10.5 HP E-Series™ OHV	Briggs & Stratton, 15.5 HP E-Series™ OHV	Briggs & Stratton, 17.5 HP E-Series™ OHV	Briggs & Stratton, 20.0 HP PXi Series™ OHV		
STARTER	Manual	Electric				
POWER STEERING	No	Yes				
CUTTING WIDTH	26"	30" 34"			34"	
CUTTING CAPACITY	4' grass, 8' weeds, 2" saplings	4' grass, 8' weeds, 2.5" saplings	6' grass, 8' weeds 2.5" saplings	6' grass, 8' weeds/brush, 3" saplings		
WEIGHT	268 lbs	290 lbs	303 lbs	325 lbs	339 lbs	
WARRANTY	Machine: 2-Years Residential / 90-Days Commercial; Engine: 2-Years Residential / 1-Year Commercial					

Get the Ultimate in Versatility with 4-Season Quick-Change Attachments!

Release a single pin without tools and slip off the standard Field and Brush Deck. Then slip on any of our other heavy-duty attachments and get to work!



CHIPPER

Chip branches up to 3.5" thick using the power of your DR^{\otimes} Field and Brush Mower.

366433



30" SNOW THROWER

Quickly churn through wet snow and towering drifts with our single-stage Snow Thrower.

190620



42" MOWING DECK

Pinpoint turning with swivel casters, 2 blades for smooth, even cut, and 1-point height adjustment from 2" to 4.5".

A0005092930



GRADER / SNOW BLADE

A 42" wide blade is great for moving landscaping materials or snow. 5 Minutes on/off, no tools! 157500

Accessories



REPLACEMENT BLADES

26", 30", and 34" Heavy-Duty Brush Blades, and Tow-Behind Heavy-Duty Blade Kits.

26" 100491 30" 166311 34" 380311



TIRE CHAINS

Superior traction when you need it most! 156521

DR® Power Equipment





PREMIER

	AT41026BMN
ENGINE	Briggs & Stratton, 10.5 HP E-Series™ OHV
STARTER	Manual
POWER STEERING	No
CUTTING WIDTH	26"
CUTTING CAPACITY	4' grass, 8' weeds/brush, 2" saplings
WEIGHT	240 lbs
WARRANTY	Machine: 2-Years Residential / 90-Days Commercial Engine: 2-Years Residential / 1-Year Commercial

10.5 HP Briggs & Stratton E-Series™

manual-start engine with cast-iron cylinder sleeve and overhead valve.

Dedicated Mower

for thick grass up to 4' high, 2" thick saplings, and weeds up to 8' high.

(PREMIER model does not accept optional attachments.)

Sealant-Filled Tires automatically

seal punctures.

Accessories



MAINTENANCE METER

Mounts easily on most gas-powered equipment to monitor your machine's RPMs, when it's time for the next oil change and more.

199451



HALOGEN HEAD LIGHT KIT

Stay safe when working in the early morning or evening. Easy to install and use! 157891



PROTECTIVE COVER

Safeguard your DR® from the elements. *Not for the 34*" *model.*

156811



BLADE FOR PREMIER DR® FIELD & BRUSH MOWER

26" Multi-Purpose Blade 100481

FB26E BATTERY ELECTRIC

Removable 2.5 kWh DR[®] E-Series Battery

7.3 kWh BRUSHLESS

provides quiet, high performance power without the emissions, odors, and maintenance requirements of an internal

MOTOR

combustion engine.

is warranteed for 5 years or 1,000 Hours in residential use and utilizes a 110V external charger to recharge in approximately 5.25 Hours. The 2.5 kWh battrery is compatible with other E-Series DR[®] Battery Electric equipment.

> Learn more about the 2.5 kWh DR[®] E-Series Battery Platform on page 37.



Ergonomic Controls and Adjustable Handlebars

provide a comfortable working height and minimize hand fatique.

Built-In Battery Caddy

allows easy transport of additional power to the worksite to double your runtime.

Match Your Speed to Your Mowing Conditions

with 3 forward gears, plus 1 reverse gear for easy maneuvering.

(FB26E model does not accept optional attachments.)





FB26E (Mower Only)

FB26E (Mower, 1 Battery, and Charger)

LOVE IT!

I haven't noticed any appreciable difference in power between gas and electric. But it is simply wonderful to have the quiet, the clean air, and the ability easily start and stop the machine.

 Laura from Seattle, WA FB26E Owner Since 2024

	AT45026XEN	AT45026XEN0		
MOTOR	7.3 kWh Brushless			
BATTERY INCLUDED	No Yes			
POWER STEERING	Yes			
CUTTING WIDTH	26"			
CUTTING CAPACITY	4' grass, 6' weeds/brush, 2" saplings			
WEIGHT	301 lbs 339 lbs			
WARRANTY	Machine: 2-Years Residential / 90-Days Commercial Battery: 5-Years Residential or 1,000 Hours, whichever comes first			

TOW-BEHIND

<mark>NEW</mark> PRO MAX6OT

Extra Large Gas Tank

on the PRO and PRO MAX models hold up to 2.5 gallons so that you can operate for up to 2.5 Hours without refueling.

4 Wheel Stability

makes the machine easier to move and maneuver during hookup and storage.

Floating Deck Extends Beyond the Wheel Path

so you can mow right next to hedgerows, fences, walls, and other obstacles without interference. The deck is suspended from the frame, allowing it to ride up and over high points, minimizing scalping and protecting the drivetrain from damage.

Chain Debris Guard

is similar to the debris shields used on commercial roadside mowers, this guard stops material from flying forward.

Adjustable Height Hitch

makes it easy to hook up to ATVs, UTVs, and lawn and garden tractors (minimum 14 HP and/or 400 lbs) with a pin hitch (PREMIER 44T, PRO 44T, and PRO XL44T) or ball-hitch (PRO MAX52T and PRO MAX60T), regardless of the height of the vehicle's hitch. You can connect directly to the shorter towbar when not offsetting the mower.



	PREMIER 44T	PRO 44T	PRO XL44T	PRO MAX52T	PRO MAX60T	
	TB21044BEN	TB23244BEN	TB25344BEN	TB27052BEN	TB27060KEN	
ENGINE	Briggs & Stratton, 10.5 HP E-Series™ OHV	Briggs & Stratton, 17.5 HP E-Series™ OHV	Briggs & Stratton, 20 HP E-Series™ OHV	Briggs & Stratton, 22 HP E-Series™ OHV	Kawasaki, 24 HP FS730V V-Twin	
STARTER	Electric					
CUTTING WIDTH	44" 52" 60"					
CUTTING CAPACITY	4' grass, 8' weeds/brush, 3	3" saplings	6' grass, 8' weeds/brush, 3	3" saplings		
WEIGHT	413 lbs	448 lbs	460 lbs	566 lbs	675 lbs	
WARRANTY	Machine: 2-Years Residential / 90-Days Commercial; Engine: 2-Years Residential / 1-Year Commercial					

FANTASTIC BRUSH MOWER

I have had this mower for a year and a half. It's used on a regular basis with no issues. It's a beast size-wise, so I highly recommend using either your side-by-side or a beefier ATV. Love it!

Robert from Dallas, TX
PRO MAX52T Owner Since 2023

Clear Brush While You Ride

DR[®] Tow-Behind Field & Brush Mowers have more innovative features and options than the competition. They're designed to clear acre after acre of overgrown grass, weeds, and brush while you ride in comfort.



Remote Control

Engage and disengage the mower blade and even adjust the cutting height between 4" and 7.5" — right from the seat of your tow vehicle.

> Not available on PREMIER 44T. Height adjustment only on PRO MAX52T and PRO MAX60T.



Dual Blade or Pivoting Blade Design

Superior mulching and cutting performance in the harshest conditions. The dual-blade on the PRO MAX60T features heavy-duty blade spindles to power through tough vegetation. Pivoting blades (all other models) swing away upon impact with immovable objects protecting the mower's blade, spindle, and engine.



Custom Blade Spindle

Designed exclusively for extra-heavyduty applications, the blade spindle has a 1" thick steel shaft mounted on top and bottom with 30mm ball bearings for durability.

LAWN & GARDEN EDGER

PROFESSIONAL EDGES MADE EASY

The DR[®] Lawn & Garden Edger lets you take your yard to the next level by cutting perfect edges with precision and confidence. The DR[®]'s 4-wheel design is more stable and precise than ordinary 3-wheeled edgers.

Adjustable Cutting Depth

gives you 6 positions from 1/2" to 3" so you always have the perfect cut.

Pivoting Head

allows for beveled cuts around garden beds of +15-degree, Vertical, or -15-degree.

Curb Hop Feature

lets you make perfect cuts along curbs with one wheel at street level for added stability.

GREAT PRODUCT!

I have been extremely pleased with the performance of this edger. We have a long driveway and walkway to the river. What was a 2 hour job previously now takes 20-30 Minutes. Edger handles heavy overgrown areas easily. Quality product which I highly recommend.


 Thomas from Jacksonville, FL PRO XL Owner Since 2024

10		PRO XL		
	2月21日1月1日日日	LE25190DMN		
-	ENGINE	8.8 ft-lb torque DR [®] OHV		
	STARTER	Manual		
	CUTTING DEPTH	0.5" to 3"		
ALC: N	CUTTING ANGLE	3 Settings: Vertical, +15-degree, -15-degree		
	WEIGHT	73 lbs		
	WARRANTY	2-Years Residential / 90-Days Commercial		
06				

A LOOK BACK DR® OWNER NEWS


APRIL 1993 - DECEMBER 2001

With a loyal owner base growing rapidly, DR[®] launched the DR[®] Owner News, a publication "By, For, and About DR[®] Owners," which is chock full of stories about living in the country.



TRIMMER MOWERS

The one that started it all, the DR[®] Trimmer Mower, was originally designed as an alternative to cumbersome handheld trimmers but has grown into a powerhouse on wheels. DR[®]Trimmers can do everything from trimming around trees and fences to taking out knee-high grass and weeds. The full lineup of trimmer models features durable all-steel frames, adjustable handlebars, and oversized wheels for ultimate maneuverability. The offset frame design also trims outside the wheelbase, so you can easily trim anywhere. Choose from gas or battery-electric walk-behind models or trim from the comfort of your tractor or ATV with a versatile tow-behind model.



THEN

Two years after DR[®] Power Equipment got off the ground, our founders ushered in an all-new category in outdoor power equipment. The Revolutionary DR[®] Trimmer on Wheels combines the best features of a handheld trimmer and a bladed mower into an easy-to-use lawn machine. Today, more than 800,000 DR[®] Trimmers have been sold in the United States, making it America's #1 selling trimmer on wheels.

NOW

Today's DR[®] Trimmer Mowers have become versatile workhorses capable of trimming grass and weeds from building foundations and around trees to tow-behind models that cleanly trim around miles of fence line. No matter what size or type of property you have, there's a DR[®] Trimmer Mower that's perfect for you.

WALK-BEHIND

Trimmer Head Brake

stops the trimmer head from spinning by releasing the bail bar without stopping the engine — cutting down on how often you need to restart.

(Not available on the PILOT model.)

Easy Maintenance

The guard design contains flying debris and makes routine maintenance easy with improved access to all wearing parts.

Lightweight Design

with mowers starting at just 55 lbs, DR[®] Trimmers are easy to maneuver without sacrificing strength.

Adjustable Handlebar

easily adjusts without tools to fit almost any operator.

All-Steel Offset Frame

is crafted of 14-gauge steel and offset to ensure that the cut reaches outside the wheel path, making it easy to trim up against fences and foundations. Frames are powder-coated frames to resist rust and corrosion.

Cast Aluminum Nose Plate

because collisions with trees, foundations, and other obstacles are inevitable.

(Not available on PULSE or PILOT models.)

22" Cutting Width

as wide as a standard push lawn mower — you need fewer passes to get the job done than with ordinary trimmers.

Rugged Bearing Assembly

is cast entirely from lightweight, high-strength aluminum. The main Bearing Assembly has roller bearings at the top and bottom — to withstand the rigors of hundreds of Hours of heavy-duty trimming and mowing at over 3,000 rpm.

	PILOT		PRO			
	T4X1076DMN	TR43076DMN	TR45097DMN	TR45010DEN	TR47010DEN	
ENGINE/MOTOR	7.6 ft-lbs DR [®] OHV	7.25 ft-lbs Briggs & Stratton EXi OHV	9.7 ft-Ibs DR® OHV	10.3 ft-Ibs DR [®] OHV		
STARTER	Manual	<u>.</u>		Electric		
CUTTING WIDTH	22"			I		
WEIGHT	55 lbs	65 lbs	69 lbs	75 lbs	71 lbs	
WHEELS	14" Resin	1	16" Resin 14" Resin		14" Resin	
WARRANTY	Machine and Engine: 2-Years Residential / 90-Days Commercial					

5X the Power and None of the Hassle!

The DR[®] Trimmer Mower's easy-rolling design makes it easy to maintain every corner of your property without straining your arms, neck, and back the way a heavy and awkward hand-held string trimmer can.

Our patented Mow-Ball[™] follows the contours of the ground for a consistent cutting height, without scalping. Plus, you can adjust the cutting height instantly—without tools.



TRIMS... The DR[®] TRIMMER MOWER rolls easily on two big wheels to trim precisely around flower beds, foundations, trees, and other obstacles without strain.



MOWS...

The DR^{\otimes} is the only trimmer on wheels that is guaranteed to mow tall, thick weeds without tangling.



EVEN CUTS BRUSH! With the Beaver Blade® attachment, you can take down saplings up to 3" in diameter without bending over. See page 20 for details.



THIS MACHINE IS AWESOME

Goes through tall, thick weeds like budder! ;) Now our dog Benny has room to play!

- Fred from Silver City, NV PREMIER Owner Since 2024

QUICK-LOCK CORD SYSTEM

Patented Quick-Lock[™] Cord Attachment System

Offers 3 Benefits Unmatched by ANY Other Cord System:

- **Replace Cord in Seconds!** Makes changing cord in the field fast and easy!
- Cord Won't Pull Out! 1-way cam anchors the cord securely in place.
- Accepts our 255 mil Serrated Cord the thickest, longest wearing cord in the industry.

Our DR[®] Cord is thicker and tougher than standard trimmer line, giving you more power to cut gnarly vegetation. In addition to being stronger, DR[®] cord lasts much longer than any other trimmer cord. Our great assortment of cord is available in a variety of bulk options, including:

Precut Lengths

The ultimate in convenience, cord is precut to the perfect length for all DR[®] Trimmer Mowers.

1 lb Rolls

Cut each length of cord as it's needed and save versus buying precut. Each roll includes 80' to 250' cord, depending on thickness.

QUICK LOCK[™]

344561

TRIMMER HEAD KIT

Jumbo Spools

Order for Gas Powered Walk-Behind models only. Comes standard with the Tow-Behind and 3-Point Hitch models.

Available on selected cord sizes, these spools offer the lowest possible "per foot" cost and up to 394' of cord.

	SILVER NOTCHED	ORANGE ROUND	GREEN ROUND	BLUE SPIRAL	ORANGE SERRATED	GRAY SERRATED
THICKNESS	95 mil	130 mil	155 mil	175 mil	225 mil	255 mil
RECOMMENDED FOR	PULSE	Gas Models			Gas Models with Quick Lock	Gas Models with Quick Lock
BEST USE	Grass and lighter weeds. <i>Maximizes</i> run time on PULSE.	Grass and lighter weeds.	Grass and moderate weeds.	Grass, tough weeds, and dense growth.	Grass, tough weeds, and dense growth including woody plant stalks.	Extra tough growth. The thickest, longest lasting cord on the market.

Additional Accessories



DR® DURABLADES®

Slice through brambles and brush up to 3/8" thick! The kit includes a DuraBlade, Mow-Ball, and two sets of blades (6 total).

For Gas Powered Walk-Behind models only. Kit – 313171 6-Pack Blades – 304401



BEAVER BLADE®

Slice through trees and saplings with real chainsaw teeth! It sharpens easily, fits all gas-powered walk-behind DR[®] Trimmer Mowers, and includes heavyduty Aluminum Mow-Ball[®] Support and a sharpening file.

Attachment Kit – A0000146144 Replacement Blade – A0000146148

TOW-BEHIND

Up to 72" Offset Reach

depending on tow vehicle. The wide reach allows you to trim and mow up to four feet outside your wheelbase

Spring-Loaded Mowing Arm

23" Diameter Steel Guard

rides around fence posts to cut within

1/2" of fence posts and other obstacles!

lets you adjust the amount of resistance against your fence posts so you can cut back grass and weeds that can short out electric fences when wet.

Pivoting Deck and Anti-Scalping Wheel

offers easy height adjustment while the deck moves up and down to mow ditches and roadsides without scalping.

Protected Shaft Coupling

keeps PRO XLP's PTO connection free from debris.





PRO XLT

PRO XLP


	TT13097DMN	TT130003PN	
ENGINE	9.7 ft lbs DR [®] OHV	Tractor Dependent up to 45 HP (Category 1 tractors), 80" Max Wheelbase	
STARTER	Manual	N/A	
CUTTING WIDTH	22"		
CUTTING HEIGHT	3" to 7.5"	1" to 7"	
WEIGHT	262 lbs	220 lbs	
WARRANTY	Machine and Engine: 2-Years Residential / 90-Days Commercial		

CHIPPERS AND CHIPPER SHREDDERS

Engineered for the rigors of continuous wood chipping and shredding — hour after hour, year after year, we designed our dedicated Self-Feeding Chippers to process branches and other woody material up to 5.75" in diameter, and our Chipper Shredders can handle branches up to 5". Their powerful engines chew up the toughest wood and pulverize materials to a fraction of their original volume for easy disposal or use as a beneficial mulch around your property. The big, oversized hoppers allow you to process materials without the hassle of having to prune away side branches. Transporting your Chipper or Chipper Shredder to the woodlot and back is easy with our optional road tow package.

THEN

Billed as the "World's First Self-Feeding Chipper for Homeowners," the DR[®] Rapid Feed Chipper challenged the idea that only road crews can handle chipping large trees. With the Rapid Feed Chippers, DR[®] introduces a lineup of dedicated chippers that can reduce massive tree limbs to a pile of chips in just Minutes.



DRPower.com

NOW

DR[®]'s full line of dedicated Chippers and Chipper Shredders capable of processing hardwood branches as large as 5.75" in diameter and loose woody materials from all around your property. Now homeowners can manage anything from backyard debris to managing a back woodlot with ease.

CHIPPERS

High Discharge

shown with optional Extended Discharge Chute

Large, Vertically Oriented Hopper

uses gravity to automatically feed material to the chipper knife. You can quickly process limbs up to 5.75" thick and with less fatigue than other chippers.

Powerful Air Channel

with air-injection venting draws material into the chipping chamber and ejects chips out the discharge chute.

Heavy Duty Chipping Knife

mounted to a massive flywheel (up to 62.5 lbs) takes up to 40 bites per second. The knife is precisely angled to "grab" material and draw it into the chipping chamber.









PRO 475P

	CP53037DMN	CP55047DEN	CP57057DEN	CP550403PN
ENGINE	9.2 HP DR®OHV	11.7 HP DR®OHV	12 HP DR®OHV	Category 1 Tractor 19 HP – 65 HP
STARTER	Manual	Electric		PTO Driven
CHIPPING CAPACITY	3.75" Diameter	4.75" Diameter	5.75" Diameter	4.75" Diameter
HOPPER OPENING	14.5" x 23.5"	17" x 27"	19" x 30.5"	7" x 27"
FLYWHEEL	14", 25 lbs	17.75", 50 lbs	20", 62.5 lbs	17.75", 50 lbs
WEIGHT	164 lbs	277 lbs	325 lbs	255 lbs
WARRANTY	Machine and Engine: 2-Years Res	sidential / 90-Days Commercial	Machine: 2-Years Residential / 90-Days Commercial	

GREAT MACHINE

I had high hopes for this wood chipper and after about 15 Hours of use, it has lived up to my expectations. The build quality is first rate and it devours everything I have fed into it. I am really impressed.

- Joe from Bow, WA PREMIER 375 Owner Since 2024



Accessories



PIN HITCH PACKAGE

Easily bolts onto your chipper frame, allowing you to bring your chipper wherever you need to work. Tow your PREMIER 375 Chipper off-road with your ATV or tractor.

446081



ROAD-TOWING PACKAGE

Make the PRO and PRO XL models ROAD-READY with our Road Towing Package includes; lights, highway axle, high-speed wheels and bearings, fenders, 2" ball coupler, and safety chains.

446071



EXTENDED DISCHARGE CHUTE

Compatible with PRO 475, PRO XL575, and PRO XL575P models. The Extended Discharge Chute allows you to load chips directly into a pickup bed or cart, so you don't have to pick them up off the ground. You can control the angle of discharge with a multi-position deflector.

446091

CHIPPER SHREDDERS

Oversized Hoppers

like the shredding hopper accepts multiple stalks up to 1.5" thick, along with side branches and leaves. Depending on the model, the chipper hopper accepts branches up to 5" in diameter.

Faster, Powerful Shredding

thanks to the shredding hammers aggressive shredding action to pulverize material to a fine mulch.



High Performance Engines

provide up to 12.0 HP to drive the heavy duty chipper knives and shredding hammers making any cleanup job a breeze and giving you nutrient-rich mulch in the process.

Easy to Transport by hand or hitched to a tow vehicle.



PREMIER 320

PRO 420

PRO XL520

CS43130DMN	CS45140DMN	CS45140DEN	CS35250DEN	
6.6 HP DR [®] OHV	9.2 HP DR [®] OHV		12 HP DR [®] OHV	
Manual Electr		Electric		
3" Diameter	4" Diameter		5" Diameter	
0.5" Diameter / 10:1 Reduction	0.75" Diameter / 12:1 Reduction		1.5" Diameter / 20:1 Reduction	
14.2" x 7.2"	9.4" x 8.6"		18" x 20"	
19.8" x 13.7"	19.6" x 13.3"		8" x 12"	
8	12		24	
129 lbs	188 lbs		545 lbs	
Machine and Engine: 2-Years Residential / 90-Days Commercial				
	6.6 HP DR° OHV Manual 3" Diameter 0.5" Diameter / 10:1 Reduction 14.2" x 7.2" 19.8" x 13.7" 8 129 lbs	6.6 HP DR* OHV 9.2 HP DR* OHV Manual 4" Diameter 3" Diameter / 10:1 Reduction 0.75" Diameter / 12:1 14.2" x 7.2" 9.4" x 8.6" 19.8" x 13.7" 19.6" x 13.3" 8 12 129 lbs 188 lbs	6.6 HP DR® OHV 9.2 HP DR® OHV Manual Electric 3" Diameter 4" Diameter 0.5" Diameter / 10:1 Reduction 0.75" Diameter / 12:1 Reduction 14.2" x 7.2" 9.4" x 8.6" 19.8" x 13.7" 19.6" x 13.3" 8 12 129 lbs 188 lbs	



THIS IS THE TOOL I'VE BEEN SEARCHING FOR!

Started right up and tackled about 15 yards of built up lawn and yard debris so far without issue. Very powerful ... Grabs sticks and debris and devours in an instant. Large diameter branches are a bit slow with the chipper but most stuff goes in the shredder.

- James from Omena, MI PRO XL520 Owner Since 2022

Accessories



DR[®] CHIPPER SHREDDER PIN HITCH KIT

Easily bolts onto the frame of the PRO 420 allowing you to tow your Chipper Shredder off-road with your ATV or tractor.

405250



ROAD TOW KIT FOR DR® CHIPPER SHREDDER

Make your PRO XL520 road-towable at speeds of up to 45 mph. The kit includes lights, fenders, wiring, a ball hitch, and a safety chain.

A0000210053

LEAF & LAWN VACUUMS

DR[®] Power's Leaf & Lawn Vacuums are #1 for a reason. Only our tow-behind Leaf & Lawn Vacs feature the most powerful engines and largest capacity collectors on the market. The unique clamshell or offset design makes them easy to empty completely with one hand. For smaller jobs, walk-behind models are a perfect fit. Both walk- and tow-behind models feature all-steel impellers, which shred leaves and other debris to a fraction of their original volume and are backed by a lifetime warranty.



THEN

DR[®] takes on what is likely the most universally hated, weekend-killing chore of them all—fall leaf raking. The *DR*[®] Leaf and Lawn Vacuum, designed to fit virtually any riding lawn mower, collects leaves while mowing and reduces them to a fine, compost-ready mulch.



NOW

The product line has expanded to meet the needs of customers with smaller lots with the introduction of the walk-behind leaf vac. New features like the EZ-Bagger system, which deposits materials directly into standard paper leaf bags ready for curbside pick-up, might make your leaf rake obsolete.

TOW-BEHIND

Easiest to Unload!

The "clamshell" design on the PREMIER 240, PRO 330, and PRO XL330 models allows you to lift the top collector and dump the trailer bed in one easy step — with one hand! "Power-assist" gas springs ensure a smooth, easy lift.



The precisely balanced collectors and steep 55-degree and 60-degree dump angles on the PILOT 200 and PRO MAX450 ensure they empty completely every time. And the

powered actuator on the PRO MAX450 handles dumping for you at the push of a button!

Maximum Suction Force

Larger engines and impellers combine to provide the highest vacuum power in the industry (as tested by a third-party laboratory) — an amazing 2,792 cubic feet per minute!

Virtually Clog-Free Operation

We spent hundreds of Hours testing different size hoses and found 8" optimal. Plus, our unique collector top design allows air to escape, preventing blockages.



Easily Converts to a Heavy-Duty Utility Trailer!

With the collector and engine/vacuum removed, the DR[®] doubles as a yard and garden trailer for your riding mower. The PILOT 200 and PRO MAX450 models feature a flatbed trailer and the PREMIER 240, PRO 330, and PRO XL330 have a molded cart.





Easy to Store!

The engine/impeller assembly has a built-in trolly that can be detached and rolled into storage. The collector top on the PREMIER 240, PRO 330, and PRO XL330 folds to about 5"-thick, making it easy to store almost anywhere.

			C. C.	C. C.	C.
	PILOT 200	PREMIER 240	PRO 330	PRO XL330	PRO MAX450
	LL31127DMN	LL33132DMN	LL35145DEN	LL37145DEN	LL37160DEN
ENGINE	6.6 HP DR [®] OHV / 223cc		9.2 HP DR [®] OHV / 301cc	11.7 HP DR® OHV / 389cc	·
STARTER	Manual	Electric	· · · · ·		
COLLECTOR CAPACITY	27 cu ft, 200 gal	32 cu ft, 240 gal	44 cu ft, 330 gal 60 cu ft, 450 gal		
TRAILER CAPACITY	400 lbs (Flatbed)	500 lbs (Cart)	800 lbs (Cart) 1,100 lbs (Flatbed)		1,100 lbs (Flatbed)
JACKSTAND	Optional	pptional Standard			
TIRES	14" x 4.5" (2)	14" x 4.5" (4)			
WEIGHT	230 lbs	243 lbs	311 lbs	325 lbs	325 lbs
WARRANTY	Machine: 2-Years Residential / 90-Days Commercial; Engine: 2-Years Residential / 1-Year Commercial				

NO OTHER LEAF VAC CAN COMPARE

Done right, engineered right, and the quality of workmanship is right. No other can compare. Why would you buy anything else. Very easy review to write. Great machine.

- Keith from Pigeon, MI PREMIER 240 Owner Since 2014

Accessories



TRAILER JACK STAND

An easy-to-use hand crank allows you to easily make small height adjustments to align the tongue with your vehicle's hitch without awkward lifting.

Standard on PRO 330, PRO XL330, and PRO MAX450 models. 342701



14' VACUUM HOSE

Reach up to 14' from your leaf vac to clean out corners, perennial beds, under fences, and any spots you can't reach from your tow vehicle. Optional hose picks up almost any organic debris — including pine cones, twigs, and nuts — from hardto-reach spots.

351543

34' VACUUM HOSE

Includes the standard 14' Vacuum Hose, a Coupler, and a 14' additional hose.

405351



MULCH DISCHARGE KIT

Use this handy Discharge Hose with our optional Vacuum Hose to blow collected materials into the woods, over fences, or into a container. It is perfect for any time you cannot simply dump materials from the Leaf and Lawn Vacuum.

This axle and wheel kit lets you convert

the PILOT 200 or PREMIER 240 to a

282541



dual-wheel setup, which improves weight distribution and is easier on your lawn.

DUAL WHEEL KIT

405371



DECK ADAPTERS

Adapt your lawn tractor's discharge chute to your Leaf and Lawn Vacuum's 8" hose. Call or visit online to determine which model is right for your mower.

Standard – 351553 Angled – 351563

WALK-BEHIND

EZ Bagger Lea **Collection System**


lets you fill standard leaf bags so they are ready for curbside pickup. The platform holds the bag while the support ring provides a crimp bar for quick installation, and the latch keeps it secure.

Bag Caddy

ncluded to carry 10 standard leaf bags. Add a second to carry 20 bags at a time.

Onboard Chipper

chews up branches up to 1.5" thick. Self-propelled model only. Self-propelled model only.



draws leaves in through the adjustable intake before feeding them into the impeller to be mulched and deposited into the leaf bag.

PILOTXT PILOT XTSP WL31004DMN WL31004DEN 4.3 HP DR® OHV / 173cc STARTER / DRIVE Manual / Push Electric / Self-Propelled

INTAKE HEIGHT	Variable, 1" to 4"		
WEIGHT CAPACITY	50 lbs		
VOLUME CAPACITY	3 cu ft, 30 gal		
CHIPPING	N/A	1.5" Diameter	
WEIGHT	105 lbs 120 lbs		
WARRANTY	Machine: 2-Years Residential / 90-Days Commercial Engine: 2-Years Residential / 1-Year Commercial		

Accessories



OPTIONAL HOSE KIT

Use the optional hose kit to reach up to 7 feet away from the machine and clean up spots you can't reach otherwise. It's great for window wells, along foundations, beneath shrubs, etc. A0001472788

ENGINE

EZ-TURN™ Steering

makes for effortless cornering and 180-degree turns. PRO SP model only.

Vented Panels

direct air down, away from the operator.

Easy Access Side Zippers

allow for unloading on either side of the machine.

Dual Rear Caster Wheels

swivel for easy maneuverability.

Onboard Chipper

lets you dispose of branches up to 2" in diameter. *PRO SP model only.*

Self-Propulsion

with 3 forward speeds and 1 reverse. PRO SP model only.

Largest Collection Bags

in their class. Holds up to 8 cubic feet of material, with a capacity of up to 80 lbs. PRO SP model only.





PRO SP

PREMIER

	WL33106DMN WL35108DEN		
ENGINE	6.6 HP DR [®] OHV / 223cc	9.2 HP DR [®] OHV / 301cc	
STARTER / DRIVE	Manual / Push	Electric / Self-Propelled	
SUCTION	86 mph	93 mph	
VOLUME CAPACITY	6 cu ft	8 cu ft	
CHIPPING	N/A 2" Diameter		
WEIGHT	150 lbs	250 lbs	
WARRANTY	Machine: 2-Years Residential / 90-Days Commercial Engine: 2-Years Residential / 1-Year Commercial		

MOTHER OF ALL YARD VACUUMS

This thing works and works well... Overall this is a killer yard vacuum - probably the best out there... Very pleased with this machine."

 Steve from Fort Worth, TX PRO SP Owner Since 2023



LEAF BLOWERS





X20 MAXSP

LB18120DEN

X20 MAX

	ENGINE	9.2 HP DR [®] OHV / 301cc		
	STARTER / DRIVE	Manual / Push	Electric / Self-Propelled	
	BLOWING POWER	200 mph / 2,000 cu ft/Minute		
	HOROZONTAL AIR CONTROL	Remote, 180-degree		
	VERTICAL AIR CONTROL	Remote, 50-degree up and down		
an direct ward ris.	WEIGHT	150 lbs	250 lbs	
	WARRANTY	Machine: 2-Years Residential / 90-Days Commercial Engine: 2-Years Residential / 1-Year Commercial		

LB16120DMN

180-degree Lateral Rotating Nozzle

with a 50-degree vertical rotation, you can direct airflow where needed or choose the upward "neutral" position to avoid blowing debris.

LAWN MOWERS

DR[®]'s professional quality battery-electric powered zero-turn mower means saying goodbye to the hassles of gas. No more oil changes or gas fumes. Just charge up and mow! You get the same great cut as a gas because all the power goes directly to the blade motors and enough power to mow 5 acres or more. For smaller lawns or tighter spaces DR[®] offers the new PRO MAX30 wide-area walk-behind mower with dual blade precision and 3-in-1 design that lets you mulch, bag, or side discharge grass clippings.



THEN

As the popularity of the zero-turn lawnmower grows in the U.S. lawn and garden market, DR[®] steps in with a Z-mower of its own — the DR[®] Converta Mower (later renamed DR[®] VersaMower) — a zero-turn mower that converts to a walk-behind mower with the flip of a lever.



NOW

Go electric with DR[®]'s first battery-electric zero-turn mower, powered by one, two, or three 2.5 kWh battery packs. Enough power to mow 5 acres without recharging and without gas!

1

ZTSE

ZT5E

Comfort High-Back Suspension Seat

easily customizes to fit the operator's height (fore and aft adjustment) and weight (dial on seat front).

Hydro-Gear[®] Wheel Drives

feature a beltless drivetrain that uses brushless electric motors to provide precise zero-turn performance.

Multi-Position, Foldable Rollover Protection System

Fold down for trimming under hard-to-reach places and trailering. Available on 60" model only.

4.3" Interactive Touch Screen

controls blade and drive speed while displaying battery charge level, operation status, hour meter, and service notifications.



Quick-Lift, Foot Operated Deck Lift

15 height adjustments from 1.5" up to 5" in 1/4" increments.

Aircraft Aluminum Chassis and Deck

for a light yet strong machine that lets you get the most out of every charge.

215

Blade Drives

give you a dedicated brushless motor for all 3 mowing blades.



(Mower Only)



ZT5E 60" (Mower Only)

	PPZ4048S000N	PPZ5060S000N	
RUN TIME	Up to 2.25 Hours	Up to 1.75 Hours	
AREA CAPACITY	5+ Acres		
DECK SIZE / TYPE	8" / Side Discharge 60" / Side Discharge		
ROLL-OVER PROTECTION	No	Yes	
TRANSAXLES	HydroGear EZTe HydroGear ZT2800e		
DRIVE WHEELS	20" x 9.5" 22" x 10.5"		
ANTI-SLIP WHEELS	2 4		
WARRANTY	Machine: 2-Years Residential / 90-Days Commercial		

E-Series Battery Platform

Use one, two, or three 2.5 kWh E-Series Battery Packs (28 HP gas equivalent) to get the power you need for your property. The power for mowing and self-propulsion is the same regardless of how many batteries are used — the difference is in runtime. Knowing your runtime is the key to knowing how many battery packs you need. Consult the charts below to understand the estimated mowing times based on "Normal" conditions.

	A A A A					
			2 BATTEI 48"	ау раскя 60"	3 BATTEI 48"	60"
	48"	60"	40	00	40	00
TOTAL KWH	2.5		5		7.5	
MAX RUNTIME	45 Minutes	35 Minutes	1.5 Hours	1.1 Hours	2.25 Hours	1.75 Hours
ACRES / CHARGE	1.5		3.25		5+	

Conditions

	SHORTEST RUNTIMES	NORMAL CONDITIONS	LONGEST RUNTIMES
WATER CONTENT OF GRASS / SEASON	Wet conditions / Spring	Dry conditions / Mid-season	Dry, crispy grass / Fall
SLOPES	Lots of hills	Mostly flat with a few hills	Flat
GROUND / BLADE SPEED	Mixed	High / High	Low / Low



PRO MAX30

NEW

Flex-Speed Drive System

matches the mower speed to your walking pace by squeezing the pressure-sensitive, ergonomic hand lever. Increase pressure to pull the lever toward you and increase speed or relax your grip to slow down.

Ergonomic Handlebar

is adjustable from 36" to 48" for a more comfortable mowing experience and folds vertically for easier storage.

30" Wide Dual Blade Design

mows more in a single pass and chops grass clippings into a fine mulch to prevent clumping.

3-in-1 Mower

allows you to bag, mulch, or side discharge clippings depending on your needs. A mulch plug and a 2-bushel capacity bag are included.

PRO MAX30

	WM25030DMN	WM25030DEN	
ENGINE	6.7 gross HP at 3600 RPM per SAE J1940 DR [∞] OHV		
STARTER	Manual	Electric	
CUTTING WIDTH	30"		
CUTTING OPTIONS	Bag / Mulch / Side Discharge		
DECK / BLADES	Cast Aluminum / 2		
WARRANTY	Machine and Engine: 2-Years Residential / 90-Days Commercial Deck: Lifetime		
EL TON TRANSPORT	ALL AND AND A DECEMPTION OF A		

TOW-BEHIND FINISH MOVER A QUALITY FINISH CUT FOR LARGE, OPEN LAWNS

Adjustable Deck Height

uses two simple hand cranks for infinite cutting height adjustment between 1.5" and 5.5".

Outrigger Tow Bar

expands your mowing capacity when towed offset behind your traditional lawn mower, doubling the width of each pass.



Easy to Use Controls

on the mower include electric start, throttle control, and blade engagement.

	TF13260BEN49
ENGINE	Briggs & Stratton, 15.5 HP EX-Series [™] OHV
STARTER	Electric
CUTTING WIDTH	60"
CUTTING CAPACITY	1' grass
WEIGHT	320 lbs
WARRANTY	Machine: 2-Years Residential / 90-Days Commercial; Engine: 2-Years Residential / 1-Year Commercial

60" Wide Deck

houses 3 air-tip blades to provide excellent lift and deliver a clean finished cut.

WORKS GREAT!

I have wanted one of these for years to mow my pasture. I've used my zero turn mower to mow my pasture and beat myself up and my mower up doing so. I bought this so I could tow behind my quad in the pasture as the quad will take the bumpy terrain much better than a mower with no suspension. This mower made mowing my 3 acre pasture a breeze and in record time. It is very powerful and cuts quickly and completely. Love it!

 Justin from Grants Pass, OR PRO XL60TF Owner Since 2021

A LOOK BACK NEUTON MOWERS

LAUNCHED IN 2003

DR[®] Power Equipment's parent company, Country Home Products goes green with the launch of Neuton Power Equipment, primarily featuring the Neuton Battery Lawn Mower. Within a few years, the Neuton Mower becomes the darling of California's Clean Air lawn mower trade-in events, causing thousands of Californians to trade in their old gas machines for the new lightweight mower of the future.

WHAT'S NEXT?

DR[®] Power is excited to lead the way with the next generation of electric battery-powered mowers, in 2025. Building on the legacy of the Neuton and the patented technology pioneered by our partners at Mean Green Mowers, we guarantee you'll love what's next.

LOG SPLITTERS



THEN

DR[®] steps into the log splitter business, starting with a small electric benchtop model and, over time, designing a complete line of the world's fastest kinetic splitters — DR[®] RapidFire[™] Log Splitters and most powerful hydraulic splitters.

NOW

DR[®]*'s* hydraulic wood splitters give you the power you need to split the hardest woods with the versatility to transform from a traditional horizontal splitter to a vertical machine capable of splitting the heaviest logs in your wood pile.

PHO BBI

Rugged Hydraulic Pumps

generate up to 3,500 psi in the cylinders (up to 5"). Steel piston compression seals provide consistent power year after year.

Cast Iron Beam

provides rock-solid stability in either horizontal or vertical mode. Combined with a front foot that plants itself securely, you can count on secure operation — without the rocking you get with lightweight splitters.

24" Beam Height for Easy Loading

minimizes the lift from the ground to create a comfortable working height. Or rotate for verticle operation to split logs at ground level. Accepts logs up to 25" long.

16" DOT Approved Tires

let you tow these units anywhere — around your property or on public roads, at speeds up to 45 mph.

Quiet, Compact and Powerful

Plug the DR^{\circ} PILOT 6TE into any standard household outlet (110 V), and you're ready to go. Then, just load a log, push a lever, and watch it split tough hardwood logs up to 10" in diameter and 20" long in seconds.









	PREMIER 25T	PRO 28T	PRO XL34T	PILOT 6TE
	WH35025DMN	WH35028DMN	WH35034DMN	WE21006ACN
ENGINE	6.2 HP DR [®]	6.6 HP DR [®]	9.2 HP DR®	120 V / 1,090 W
STARTER	Manual	Manual		
MAX LOG SIZE	24" L x 30" diameter		25" L x 30" diameter	20" L x 10" diameter
AVERAGE CYCLE TIME	12 seconds	14.5 seconds	17.5 seconds	26 seconds
SPLITTING FORCE	25 Tons 28 Tons		34 Tons	6 Tons
WEIGHT	440 lbs	530 lbs	549 lbs	90 lbs
WARRANTY	Machine: 2-Years Residential / 90-Days Commercial Engine: 2-Years Residential / 1-Year Commercial			Machine: 2-Years Residential / 90-Days Commercial

ROTOTILLERS





THEN

Aided by its founders' experience with Troybilt® tillers, DR® Power launched the first DR® Rototiller in 1996. This rugged walk-behind machine was a hit with home gardeners nationwide.

TRO XLORI

NOW

Today, DR[®] offers a full line of Rototillers including walk-behind and tow-behind models as well as small cultivators. Whether you want to break ground or keep weeds at bay, there's a DR[®] tiller for every garden and every gardener.

Powered Actuator

raises and lowers the wheels to regulate tilling depth. Actuator is powered by a 12 V, 17-amp battery (included) that automatically recharged by the engine. PRO 36T only.

Bolo Tines

are forged of tough tempered steel and spin at over 230 rpm to dig up to 7.5" deep and mix soil completely.

Remote Control

allows you to make precise adjustments to your tilling depth without leaving your tow vehicle.

Powerful OHV Engines

are easy-starting and warranted for up to 2 years of residential use. 90-days in commercial use.

Power Driven Wheels

propel the tiller forward easily in almost any terrain. When you want to free-wheel, you can simply switch into neutral gear.

Dual Tine Rotation

gives you the ability to switch from forward- to counter-rotation depending on the job at hand. PRO XLDRT only.



Drag Stake

provides extra resistance and can be raised and pinned in place when not needed. PRO CRT and PRO XLDRT only.

Debris Shield

helps protect the operator from thrown soil.





PRO 36T







PREMIER 36T

PILOT 2C

PREMIER FRT

PRO XLDRT


PROCRT

	TT13036DMN	TT15036DEN	TW23120DMN	TW15221DMN	TW17116DMN	TW19018DMN
ENGINE	DR [®] 11.1 ft-lbs torque	2 OHV	DR [®] 2-Cycle, 43cc	DR® 3.33 ft-lbs torque	DR [®] 10.2 ft-lbs torque	DR [®] 9.5 ft-lbs torque
STARTER	Manual	Electric	Manual	• •		·
TINE ROTATION	Forward			Counter	Dual Rotating	
TINE WIDTH / DEPTH	36" / 1.5" above, 7.5" below	36" / 2.75" above, 7.5" below	6" / up to 10" below	11", 16", 21" / up to 11" below	16" / up to 11" below	18" / up to 11" below
WHEEL SIZE / TYPE	9.5" x 2" / Never Flat	14" x 5.5" / Pneumatic	7" x 1.5" / Never Flat	8" x 1.75" / Never Flat	13" x 5." / Pneumatic	
WEIGHT	175 lbs	204 lbs	29 lbs	95 lbs	145 lbs	206 lbs
WARRANTY	2-Years Residential / 90-Days Commercial					

STUMP GRINDERS

DR[®] Stump Grinders provide professional-grade power and features that can demolish stumps up to 3' wide. It's the quickest and easiest way to remove troublesome stumps from your property!





THIS MACHINE IS AWESOME

It went together easily, no problems. Plenty of power. When this grinder gets on a stump hang on – it's hungry!

 Thomas from Melrose, WI PRO XLSP Owner Since 2023

Accessories



TOW KIT

Includes both a pin and ball hitch. Standard with the PRO XL model. Not available for the PRO XLSP model. 354671



REPLACEMENT CUTTER TEETH

Full set of 8. 305051

POWER GRADERS

THEN



As every rural homeowner knows, living with potholes every spring is a car-battering battle. That is, until the introduction of the DR[®] Power Grader. Towed behind a riding mower or ATV, the DR[®] Power Grader loosens and redistributes existing material, saving hundreds on the cost of commercial grading and adding new gravel.

NOW

Today's DR[®] Power Graders offer the same great performance as the original with convienence features like EZ-Dial adjustment system or remote powered depth control that lets you easily match the depth to the hardness of your driveway.



Accessories

DRAG SCREEN ATTACHMENT

The Drag Screen is ideal for finishing sandy driveways, ball fields, riding arenas, and other surfaces that require precise grooming.

48" – 210861 60" – 226861

HAULERS

Steep slopes and big loads are no match for DR[®]'s full line of versatile haulers. Quickly and easily move loads of soil and gravel through tight spaces and up hills with the DR[®] Powerwagon or move whole logs and massive field stones with your ATV and the rugged DR[®] Versa-Trailer.



THEN

The DR[®] Powerwagon — a self-propelled, walk-behind hauler — is the company's first venture into product manufacturing.



NOW

DR[®]'s full line of Power Wagons, Versa Trailers gives home owners the ability to move anything from soil and gravel to logs and large stones nearly anywhere on their property with ease.

POWERWAGON

Gear-Driven Transmission

3 forward speeds and powered reverse let you match your travel speed to your walking pace and maneuver in tight spaces.

Powered Dumping

6

tilts the cargo bed 60-degree at the push of a button to empty the bed completely.

Hand-Actuated Disc Brake

easily check the speed of a fully loaded cargo bed when operating on slopes or lock the brake to keep the machine in place when loading or unloading.

Converts to a Flatbed

in less than ten Minutes and is ideal for carrying long or stackable loads.





VERSA-TRAILER

Swinging Boom Lift

lifts objects weighing up to 440 lbs from either side of the trailer. The boom angle easily adjusts without tools, allowing you to lift and load without repositioning the trailer.

Winch-Assisted Dumping

pitches the trailer bed to a steep, 35-degree dump angle that allows the bed to empty without manual labor.

Side Stabilizers

can be lowered and secured without tools to stabilize the trailer when loading or unloading.

Tandem Wheels

pivot on the axle allowing the trailer to adapt to all sorts of rugged terrain and "walk" over obstacles.

R

	PRO 1000	PRO XL2000	
At and the second	VT13005TBN	VT15010TBN	
HAULING CAPACITY / VOLUME	1,000 lbs / 16.85 cu ft	2,000 lbs / 31.25 cu ft	
BOOM LIFTING CAPACITY	N/A	440 lbs	
BED DIMENSIONS	57.3" L x 35.7" W x 18.1" H	79" L x 42" W x 23.5" H	
WEIGHT	287 lbs	760 lbs	
WARRANTY	2-Years Residential / 90-Days Commercial		

Accessories



WALL EXTENDERS Add 12" of height to the trailer's side walls.

PRO 1000 - 303730 PRO XL2000 - 304870



HAND WINCH attaches to the hitch point on the PRO 1000 Versa-Trailer's frame. Includes all attachment hardware. 304731



ELECTRIC WINCH Compatible with the PRO 1000 Versa-Trailer, the electric hoist lifts up to 1,500 lbs for dumping and skidding. *313511*



PIVOTING JACK STAND

Raise or lower the tongue for hitching to your towing vehicle. Locks into horizontal position when not in use.

Standard on PRO XL2000 303800

Removable End Panel

comes off in seconds, without tools, for carrying log loads, or for dumping.

SNOW BLOWERS

THEN



Ready for the first winter storms, DR[®] Snow Blowers introduce feature-rich machines that include plug-in electric starting, EZ-Turn Steering[™], and superior chute controls.

anna Gannara

NOW

DR[®] Snow Blowers continue to offer industry-leading features that make clearing deep piles of snow easy. Available in 24", 38", and 30" wide, these 2-stage machines are perfect for any property.

EZ-Turn Steering

allows the two axle shafts to drive independently making it easy to take tight, 180-degree turns, without having to wrestle the machine.

Cold Weather 2-Stage DR[®] OHV Engine

is easy-starting and features 6 forward speeds and 2 reverse speeds.

LED Headlights

illuminate your path for early morning or nighttime operation.

Plug-In Electric Start

uses a standard 3-prong extension cord and push a button to start! No battery or additional maintenance required. Recoil backup, with compression-release, makes for easy pull starts when you're away from a power source.



throws snow up to 45" away and backed by a LIFETIME warranty.









	PRO 24B	PRO 288	PRO XL30B		
	SB23024DEN	SB23028DEN	SB25030DEN		
ENGINE	6 HP DR [®] OHV	8.5 HP DR [®] OHV	8.5 HP DR [®] OHV		
STARTER	Electric with Recoil Backup	Electric with Recoil Backup			
SPEEDS	6 Forward, 2 Reverse	6 Forward, 2 Reverse			
CLEARING WIDTH	24"	28"	30"		
HANDLE BAR HEIGHT	36" 38"				
WEIGHT	177 lbs	212 lbs	234 lbs		
WARRANTY	2-Years Residential / 90-Days Commercial				







A Generac Power Systems Company